



QUALITY SUPPLIES, EQUIPMENT, AND SERVICE



Industrial and Commercial Floor Cleaning Machines

Product Catalog 2024



Table Of Contents

Floor Sweeper.....Page 1 - 2

- Walk Behind
- Ride On

Floor Scrubber.....Page 3 - 5

- Walk Behind
- Ride On
- Self Propelled

Floor Cleaner.....Page 6

- Carpet Extractor
- Floor Buffer Scrubber
- Wet Dry Vaccum and Mop
- Air Mover

Dry Ice Cleaning.....Page 7

- Blasting Machine
- Dry Ice Storage Container

Cleaners and Degreaser.....Page 8

- All Purpose Cleaner
- No Foam Liquid Defoamer
- Green Monster

Floor Sweepers Walk Behinds



SM1050B

CLEANING WIDTH	EFFICIENCY	TYPE	POWER SOURCE
41"	64500 sqft/h	Walk Behind	12V Recgargabke Batter
TRASH BIN CAPACITY	CLEAR WATER TANK	CONTINUOUS WORKING HOURS	CHARGING TIME
9.24 Gallons	3.96 Gallons	4 Hours	8 Hours
WATER SPRAY	YES		



SM1050A

CLEANING WIDTH	EFFICIENCY	TYPE	POWER SOURCE
41"	64500 sqft/h	Walk Behind	12V Recgargabke Batter
TRASH BIN CAPACITY	CLEAR WATER TANK	CONTINUOUS WORKING HOURS	CHARGING TIME
9.24 Gallons	3.96	4 Hours	8 Hours
WATER SPRAY	NO		



RT980S

CLEANING WIDTH	EFFICIENCY	TYPE	POWER SOURCE
38.6"	38000 sqft/h	Walk Behind	Manual Push
TRASH BIN CAPACITY			
12 Gallons			



SM650

CLEANING WIDTH	EFFICIENCY	TYPE	POWER SOURCE
27.5"	29000 sqft/h	Walk Behind	Manual Push
TRASH BIN CAPACITY			
6.6 Gallons			



RT980

CLEANING WIDTH	EFFICIENCY	TYPE	POWER SOURCE
38.6"	38000 sqft/h	Walk behind	Manual Push
TRASH BIN CAPACITY			
12 Gallons			

Floor Sweepers Ride On



SM80

CLEANING WIDTH

53"

EFFICIENCY

73000 sqft/h

TYPE

Ride On

POWER SOURCE

**48V Recgargabke
Batter**

TRASH BIN CAPACITY

21 Gallons

CLEAR WATER TANK

13.20 Gallons

CONTINUOUS
WORKING HOURS

5 Hours

CHARGING TIME

8 Hours

WATER SPRAY **YES**



SM1250+

CLEANING WIDTH

49"

EFFICIENCY

69000 sqft/h

TYPE

Ride On

POWER SOURCE

**48V Lithium
Batter**

TRASH BIN CAPACITY

26 Gallons

CLEAR WATER TANK

12.68 Gallons

CONTINUOUS
WORKING HOURS

2.5 Hours

CHARGING TIME

3.5 Hours

WATER SPRAY **YES**



SM1250

CLEANING WIDTH

49"

EFFICIENCY

69000 sqft/h

TYPE

Ride On

POWER SOURCE

**48V Recgargabke
Batter**

TRASH BIN CAPACITY

26 Gallons

CLEAR WATER TANK

12.68 Gallons

CONTINUOUS
WORKING HOURS

2.5 Hours

CHARGING TIME

6 Hours

WATER SPRAY **YES**

Floor Scrubbers Walk Behinds



RT50

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lead-acid Battery	Walk Behind	22 Inches	14.5 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
13.2 Gallons	5 Hours	8 Hours	200 RPM
MAX WORKING EFFICIENCY 30,000 sqft/h			



RT50AC

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Corded	Walk Behind	22 Inches	14.5 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
13.2 Gallons	5 Hours	3.5 - 8 Hours	200 RPM
MAX WORKING EFFICIENCY 30,000 sqft/h			



RT50+

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lithium Battery	Walk Behind	22 Inches	14.5 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
13.2 Gallons	5 hours	3.5 Hours	200 RPM
MAX WORKING EFFICIENCY 30,000 sqft/h			



RT15+

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lithium Battery	Walk Behind	14 Inches	4 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
3 Gallons	2.5 Hours	3.5 Hours	180 RPM
MAX WORKING EFFICIENCY 14500 sqft/h			



RT15-AC

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
110V 26.25 ft Power Cord	Walk Behind	14 Inches	4 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
3 Gallons	Unlimited	N/A	180 RPM
MAX WORKING EFFICIENCY 14500 sqft/h			



SM430

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lithium Battery	Walk Behind	17 Inches	1.7 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
1.0 Gallons	2 hours	3 Hours	350 RPM
MAX WORKING EFFICIENCY 10,000 sqft/h			

Floor Scrubbers Ride On



RT70

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lithium Battery	Ride On	22 Inches	18 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
18 Gallons	5 Hours	3.5 Hours	170 RPM
MAX WORKING EFFICIENCY 48,000 sqft/h			



SM70

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lithium Battery	Ride On	22 Inches	18 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
18 Gallons	5 Hours	8 Hours	170 RPM
MAX WORKING EFFICIENCY 48,000 sqft/h			

SOLD OUT



RT50+

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
24V / 150ah	Ride On	34 Inches	34.3 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
31.7 Gallons	4 hours	6 Hours	170 RPM
MAX WORKING EFFICIENCY 80,000 sqft/h			

Floor Scrubbers Self Propelled



RT50D

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lead-acid Battery	Self Propelled	22 Inches	14.5 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
13.2 Gallons	5 Hours	8 Hours	200 RPM
MAX WORKING EFFICIENCY 36.000 sqft/h			



RT50D+

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
Lithium Battery	Self Propelled	22 Inches	14.5 Gallons
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CHARGING TIME	BRUSH SPEED
13.2 Gallons	5 Hours	3.5 Hours	200 RPM
MAX WORKING EFFICIENCY 36,000 sqft/h			

Floor Cleaners

COMMERCIAL CARPET EXTRACTOR



SM350

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	SEWAGE TANK SIZE
120V / 60HZ Cord 49 Feet	Walk Behind	13.8 Inches	8 Gallons
SOLUTION TANK SIZE	WEIGHT	PRESSURE	BRUSH SPEED
10.5 Gallons	87 LBS	160 PSI	900 RPM
MAX WORKING EFFICIENCY 2,150 sqft			

MULTI-FUNCTIONAL FLOOR BUFFER SCRUBBER



SM420AC

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING WIDTH	WEIGHT
110V Cord 49 Feet	Walk Behind	17 Inches	131 LBS
SOLUTION TANK SIZE	SURFACES	MORTOR FREQUENCY	BRUSH MOTOR POWER
3.4 Gallons	Stone, Concrete, Terrazzo, Tile	60 Hz	2.0 HP
MAX WORKING EFFICIENCY 4,300 sqft			

CORDLESS WET DRY VACUUM & MOP FOR HARD FLOORS AND SHORT-PILE CARPETS



ECO FRIENDLY

SA01

POWER SOURCE	DRIVER TYPE	BRUSH CLEANING	SEWAGE TANK SIZE
110V 4000mAh Battery	Walk Behind	Self-Cleaning & Drying	0.9 Liters
SOLUTION TANK SIZE	CONTINUOUS RUNNING TIME	CLEANING MODES	BRUSH DRYING
0.75 Liters	35 - 40 Minutes	Intelligent, Power, Vaccum, Electrolyze	25 Minutes

APPLICATIONS **Indoor Floors Like Waxed, Rubber, Marble, Wood, Laminate, Stone, Terrazzo, Bamboo, Mirror Tiles, Porcelain, Short-pile Carpet**

5000 CFM INDUSTRIAL 3-SPEED AIR MOVER



RT9000A

POWER SOURCE	WEIGHT	STORAGE	AIR FLOW RATE
1.3 HP Motor 470w, 550w, 1000w	30 lbs	Stack Up To 5 Units	5000 CFM
SPEED	3 AIRFLOW POSITIONS	2 MODES	HOUSING
3 Airflow Speeds	Horizontal, Diagonal, Upwards	Hand-Held Pitman	Polyethylene Metal Cage

APPLICATIONS **Construction, Manufacturing, Housekeeping, and More**

Dry Ice Cleaning



SM2000

POWER SOURCE	WEIGHT	DRY ICE HOPPER CAPACITY	DRY ICE FEED RATE
120V AC / 60 Hz	133 LBS	44 LBS	1.32 LBS / Min
BLAST PRESSURE RANGE	NOZZLE AIR CONSUMPTION	DRY ICE PRODUCT SIZE	COMPRESSED AIR INPUT PRESSURE
120 PSI	45 - 135 CFM 1 - 4 m3 / min	3 mm and less	87 - 116 PSI

APPLICATION **Cleaning carbon deposits in automobile engine combustion chambers, intake valves, throttle bodies, brake discs, wheel hubs, turbochargers, and grease and dirt on the engine compartment.**



SM320S

MATERIAL	CAPACITY	THICKNESS	WEIGHT
LLDPE, Food-grade, Chemical Resistance	700 LBS 11.3 Cubic Feet	3 Inches	137 LBS
INSIDE DIMENSION	OUTSIDE DIMENSION	STYLES	DRY ICE SUBLIMATION RATE
37" x 21" x 26"	43" x 27" x 39.5"	With Wheels Or Without Wheels	5% in 24 Hours

APPLICATION **Dry Ice Production and Distribution, Laboratory and Scientific, Shipping and Transport of Perishable Goods, Medical and Healthcare, Food and Beverage Industry, Refrigeration During Power Outages, and More.**



SM75

MATERIAL	CAPACITY	THICKNESS	WEIGHT
LLDPE, Food-grade, Chemical Resistance	150 LBS 2.45 Cubic Feet	3 Inches	37 LBS
DIMENSION	OUTSIDE DIMENSION	TEMPERATURE	DRY ICE SUBLIMATION RATE
32" x 19" x 18"	--	-109°F	5% in 24 Hours

APPLICATION **Dry Ice Production and Distribution, Laboratory and Scientific, Shipping and Transport of Perishable Goods, Medical and Healthcare, Food and Beverage Industry, Refrigeration During Power Outages, and More.**

Cleaners and Degreaser



ALL PURPOSE CLEANER

FRAGRANCE

Citrus

LIGHT SOIL

**2 OZ/GAL Water
(1:64 ratio)**

MEDIUM SOIL

**6 OZ/GAL Water
(1:20 ratio)**

HEAVY SOIL

**12 OZ/GAL Water
(1:10 ratio)**

APPLICATIONS Effective cleaner for marble, granite, vinyl, linoleum, tile, sealed concrete, ceramic and stone surfaces. Does not leave residue, restores shine, and deodorizes the surface with a pleasant citrus fragrance. Also removes salt stains left from ice melter or hard water residues.

DIRECTIONS A daily mop-n-bucket cleaner and in various mechanical and manual degreasing/cleaning applications. Ideal for use in automatic scrubbers. For marble, granite, vinyl, linoleum, tile, sealed concrete, ceramic and stone surfaces.



NO FOAM LIQUID DEFOAMER

NO FOAM Is a unique formulation designed to control foam wherever it's a problem, especially in floor and carpet cleaning applications.

Eliminates or reduces foaming of spent detergent solutions in the pickup process.

Eliminates need for excessive emptying and rinsing of pickup tanks.

Reduces risks of vacuum motor damage due to foam overflow in floor scrubber machines and extraction carpet deaning equipment.

Excellent for use in the recovery tanks of automatic scrubbers.

DIRECTIONS Spray directly into sewage tanks of floor scrubber or extraction equipment or mop buckets ued in the pickup process. If the equipment contains detergent residue from previous use, add 1-1/2 oz of defoamer per 5 gal detergent solution before cleaning to protect the moto.



GREEN MONSTER

FRAGRANCE

Citrus

LIGHT SOIL

32:1 Ratio

HEAVY SOIL

10:1 Ratio

FLOOR SCRUBBER

Up To 70:1 Ratio

APPLICATIONS Effective for heavy duty to light duty industrail maintenace cleaning such as walls, floors, and machinery. This product is non-flammable and contans no butyl cellusolve or petroleum. A versatile formulation is extremely effective on exterior vehicle surfaces and interior environments.

DIRECTIONS Dilution ratio dependent on application and severity of soil deposits. Suitable for use in vehicle hand wash, industrial dip tanks, pressure sprayers, mop and bucket applications, steam cleaners, floor scubber machines. Spray the area with the product and allow it to absorb onto the surface for 3 - 5 minutes. Scrub surface as needed, towel dry surface.



QUALITY SUPPLIES, EQUIPMENT, AND SERVICE



Industrial and Commercial Floor Cleaning Machines

Contact us for more product information and ordering, today!

RANDALL FERGUSON

907.632.7452

SupplyingAlaska@gmail.com

KEVIN BROBERG

907.351.1271

TRUSTYSUPPLY.COM

